

VINTESSENTIAL YAN CALIBRATION STANDARDS FOR DISCRETE AUTOANALYSERS, PAAN STANDARD 3 (VINTESSENTIAL YAN CALIBRATION STANDARDS FOR DISCRETE AUTOANALYSERS, PAAN STANDARD 3)

ChemWatch Review SDS

Chemwatch: 52-9348

Version No: 2.1.1.1

Safety Data Sheet according to WHS and ADG requirements

Chemwatch Hazard Alert Code: 0

Issue Date: 08/12/2015 Print Date: 12/21/2016 L.GHS.AUS.EN

SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

Product Identifier

Product name	VINTESSENTIAL YAN CALIBRATION STANDARDS FOR DISCRETE AUTOANALYSERS, PAAN STANDARD 3 (VINTESSENTIAL YAN CALIBRATION STANDARDS FOR DISCRETE AUTOANALYSERS, PAAN STANDARD 3)
Synonyms	Not Available
Other means of identification	Not Available

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified	Use according to manufacturer's directions.
uses	General laboratory reagent. Used for measuring Primary Amino Acid Nitrogen in grape juice and wines.

Details of the supplier of the safety data sheet

Registered company name	Vintessential Laboratories
Address	32 BRASSER AVENUE DROMANA VIC 3936 Australia
Telephone	+61 3 5987 2242
Fax	+61 3 5987 3303
Website	Not Available
Email	Not Available

Emergency telephone number

Association / Organisation	Not Available
Emergency telephone numbers	+61 405 318 590
Other emergency telephone numbers	Not Available

SECTION 2 HAZARDS IDENTIFICATION

Classification of the substance or mixture

Poisons Schedule	Not Applicable
Classification ^[1]	Skin Corrosion/Irritation Category 2, Eye Irritation Category 2A

Page 2 of 8 Version No: 2.1.1.1 Print Date: 12/21/2016 VINTESSENTIAL YAN CALIBRATION STANDARDS FOR DISCRETE AUTOANALYSERS. PAAN STANDARD 3 (VINTESSENTIAL YAN CALIBRATION STANDARDS FOR DISCRETE AUTOANALYSERS, PAAN STANDARD 3) 1. Classified by Chemwatch; 2. Classification drawn from HSIS ; 3. Classification drawn from EC Directive 1272/2008 - Annex Legend: VI Label elements **GHS** label elements SIGNAL WORD WARNING Hazard statement(s) H315 Causes skin irritation. H319 Causes serious eye irritation. Precautionary statement(s) Prevention P280 Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary statement(s) Response

P362	Take off contaminated clothing and wash before reuse.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.
P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P332+P313	If skin irritation occurs: Get medical advice/attention.

Precautionary statement(s) Storage

Not Applicable

Precautionary statement(s) Disposal

Not Applicable

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

Substances

CAS No	%[weight]	Name
	balance	Ingredients determined not to be hazardous
7732-18-5	60-100	water

Mixtures

See section above for composition of Substances

SECTION 4 FIRST AID MEASURES

Description of first aid measures

Eye Contact	Generally not applicable.
Skin Contact	▶ Generally not applicable.
Inhalation	▶ Generally not applicable.
Ingestion	▶ Generally not applicable.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 FIREFIGHTING MEASURES

Extinguishing media

· Generally not applicable.

Continued...

VINTESSENTIAL YAN CALIBRATION STANDARDS FOR DISCRETE AUTOANALYSERS, PAAN STANDARD 3 (VINTESSENTIAL YAN CALIBRATION STANDARDS FOR DISCRETE AUTOANALYSERS, PAAN STANDARD 3)

Special hazards arising from the substrate or mixture

Fire Incompatibility	None known.
Advice for firefighters	S
Fire Fighting	 Generally not applicable.
Fire/Explosion Hazard	▶ Generally not applicable.
HAZCHEM	Not Applicable

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

See section 8

Environmental precautions

See section 12

Methods and material for containment and cleaning up

Minor Spills	Clean up all spills immediately.
Major Spills	Clean up all spills immediately.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 HANDLING AND STORAGE

Precautions for safe handling

Safe handling	│ ▶ Generally not applicable. Avoid prolonged skin contact.
Other information	 Store in original containers. Keep containers securely sealed. Store in a cool, dry, well-ventilated area. Store away from incompatible materials and foodstuff containers. Protect containers against physical damage and check regularly for leaks. Observe manufacturer's storage and handling recommendations contained within this SDS.

Conditions for safe storage, including any incompatibilities

Suitable container	 Polyethylene or polypropylene container. Packing as recommended by manufacturer. Check all containers are clearly labelled and free from leaks.
Storage incompatibility	None known

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

OCCUPATIONAL EXPOSURE LIMITS (OEL)

INGREDIENT DATA

Not Available

EMERGENCY LIMITS

Ingredient	Material name	TEEL-1	TEEL-2	TEEL-3
VINTESSENTIAL YAN CALIBRATION STANDARDS FOR DISCRETE AUTOANALYSERS, PAAN STANDARD 3 (VINTESSENTIAL YAN CALIBRATION STANDARDS FOR	Not Available	Not Available	Not Available	Not Available

Version No: 2.1.1.1 VINTESSENTIAL YAN CALIBRATION STANDARDS FOR DISCRETE AUTOANALYSERS, PAAN STANDARD 3 (VINTESSENTIAL YAN CALIBRATION STANDARDS FOR DISCRETE AUTOANALYSERS, PAAN STANDARD 3)

AUTOANALYSERS, PAAN STANDARD 3)		
Ingredient	Original IDLH	Revised IDLH
water	Not Available	Not Available

MATERIAL DATA

No exposure limits set by NOHSC or ACGIH

Exposure controls

Appropriate engineering controls	► Generally not applicable.
Personal protection	
Eye and face protection	▶ Generally not applicable.
Skin protection	See Hand protection below
Hands/feet protection	▶ Generally not applicable.
Body protection	See Other protection below
Other protection	▶ Generally not applicable.
Thermal hazards	Not Available

Recommended material(s)

GLOVE SELECTION INDEX

Glove selection is based on a modified presentation of the:

"Forsberg Clothing Performance Index".

The effect(s) of the following substance(s) are taken into account in the *computer-generated* selection:

VINTESSENTIAL YAN CALIBRATION STANDARDS FOR DISCRETE AUTOANALYSERS, PAAN STANDARD 3 (VINTESSENTIAL YAN CALIBRATION STANDARDS FOR DISCRETE AUTOANALYSERS, PAAN STANDARD 3)

Material	CPI
BUTYL	С
NATURAL RUBBER	С
NEOPRENE	С
PVA	С
VITON	С

* CPI - Chemwatch Performance Index

A: Best Selection

B: Satisfactory; may degrade after 4 hours continuous immersion C: Poor to Dangerous Choice for other than short term immersion **NOTE**: As a series of factors will influence the actual performance of the glove, a final selection must be based on detailed observation. -* Where the glove is to be used on a short term, casual or infrequent basis, factors such as "feel" or convenience (e.g. disposability), may dictate a choice of gloves which might otherwise be unsuitable following long-term or frequent use. A qualified practitioner should be consulted.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance	Clear liquid; miscible with water.		
Physical state	Liquid	Relative density (Water = 1)	1.0

Respiratory protection

Particulate. (AS/NZS 1716 & 1715, EN 143:000 & 149:001, ANSI Z88 or national equivalent)

Where the concentration of gas/particulates in the breathing zone, approaches or exceeds the "Exposure Standard" (or ES), respiratory protection is required.

Degree of protection varies with both face-piece and Class of filter; the nature of protection varies with Type of filter.

Required Minimum Protection Factor	Half-Face Respirator	Full-Face Respirator	Powered Air Respirator
up to 10 x ES	-AUS P2	-	-PAPR-AUS / Class 1 P2
up to 50 x ES	-	-AUS / Class 1 P2	-
up to 100 x ES	-	-2 P2	-PAPR-2 P2 ^

^ - Full-face

A(All classes) = Organic vapours, B AUS or B1 = Acid gasses, B2 = Acid gas or hydrogen cyanide(HCN), B3 = Acid gas or hydrogen cyanide(HCN), E = Sulfur dioxide(SO2), G = Agricultural chemicals, K = Ammonia(NH3), Hg = Mercury, NO = Oxides of nitrogen, MB = Methyl bromide, AX = Low boiling point organic compounds(below 65 degC)

▶ Generally not applicable.

VINTESSENTIAL YAN CALIBRATION STANDARDS FOR DISCRETE AUTOANALYSERS, PAAN STANDARD 3 (VINTESSENTIAL YAN CALIBRATION STANDARDS FOR DISCRETE AUTOANALYSERS, PAAN STANDARD 3)

		-	
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Applicable
pH (as supplied)	3.0	Decomposition temperature	Not Applicable
Melting point / freezing point (°C)	0	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	100	Molecular weight (g/mol)	Not Available
Flash point (°C)	Not Applicable	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Applicable	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Applicable	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Applicable	Volatile Component (%vol)	100
Vapour pressure (kPa)	2.33 @ 20 degC.	Gas group	Not Available
Solubility in water (g/L)	Miscible	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available

SECTION 10 STABILITY AND REACTIVITY

Reactivity	See section 7
Chemical stability	Product is considered stable and hazardous polymerisation will not occur.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

SECTION 11 TOXICOLOGICAL INFORMATION

Information on toxicological effects

Inhaled	► Generally not applicable.
Ingestion	▶ Generally not applicable.
Skin Contact	▶ Generally not applicable.
Eye	▶ Generally not applicable.
Chronic	Long-term exposure to the product is not thought to produce chronic effects adverse to health (as classified by EC Directives using animal models); nevertheless exposure by all routes should be minimised as a matter of course.

VINTESSENTIAL YAN CALIBRATION		
STANDARDS FOR		
DISCRETE AUTOANALYSERS,		
PAAN STANDARD 3	TOXICITY	IRRITATION
(VINTESSENTIAL YAN CALIBRATION	Not Available	Not Available
STANDARDS FOR		
DISCRETE AUTOANALYSERS,		
PAAN STANDARD 3)		
	TOXICITY	IRRITATION
water	Oral (rat) LD50: >90000 mg/kg ^[2]	Not Available

Chemwatch: 52-9348
Version No: 2.1.1.1

VINTESSENTIAL YAN CALIBRATION STANDARDS FOR DISCRETE AUTOANALYSERS, PAAN
STANDARD 3 (VINTESSENTIAL YAN CALIBRATION STANDARDS FOR DISCRETE
AUTOANALYSERS, PAAN STANDARD 3)

Legend:

 1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2.* Value obtained from manufacturer's SDS. Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances

VINTESSENTIAL YAN CALIBRATION STANDARDS FOR DISCRETE AUTOANALYSERS, PAAN STANDARD 3 (VINTESSENTIAL YAN CALIBRATION STANDARDS FOR DISCRETE AUTOANALYSERS, PAAN STANDARD 3) & WATER	No significant acute toxicological data identified in literature search.	
Acute Toxicity	S Carcinogenici	у 🛇
Skin Irritation/Corrosion	✓ Reproductivit	у 🛇
Serious Eye Damage/Irritation	✓ STOT - Sing Exposu	
Respiratory or Skin sensitisation	STOT - Repeate Exposu	
Mutagenicity	S Aspiration Hazar	d 🛇

Legend: 🗙 – Data available but does not fill the criteria for classification

Data required to make classification available

🚫 – Data Not Available to make classification

SECTION 12 ECOLOGICAL INFORMATION

Toxicity

Ingredient	Endpoint	Test Duration (hr)	Species	Value	Source
Not Available	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Legend:	Extracted from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances - Ecotoxicological Information - Aquatic Toxicity 3. EPIWIN Suite V3.12 - Aquatic Toxicity Data (Estimated) 4. US EPA, Ecotox database - Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessment Data 6. NITE (Japan) - Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data				

Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
water	LOW	LOW

Bioaccumulative potential

Ingredient	Bioaccumulation
water	LOW (LogKOW = -1.38)

Mobility in soil

Ingredient	Mobility
water	LOW (KOC = 14.3)

SECTION 13 DISPOSAL CONSIDERATIONS

Waste treatment methods

Product / Packaging disposal

Generally not applicable.

VINTESSENTIAL YAN CALIBRATION STANDARDS FOR DISCRETE AUTOANALYSERS, PAAN STANDARD 3 (VINTESSENTIAL YAN CALIBRATION STANDARDS FOR DISCRETE AUTOANALYSERS, PAAN STANDARD 3)

SECTION 14 TRANSPORT INFORMATION

Labels Required

Marine Pollutant	NO
HAZCHEM	Not Applicable

Land transport (ADG): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

SECTION 15 REGULATORY INFORMATION

Safety, health and environmental regulations / legislation specific for the substance or mixture

WATER(7732-18-5) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Inventory of Chemical Substances (AICS)

National Inventory	Status	
Australia - AICS	Y	
Canada - DSL	Υ	
Canada - NDSL	N (water)	
China - IECSC	Υ	
Europe - EINEC / ELINCS / NLP	Υ	
Japan - ENCS	N (water)	
Korea - KECI	Υ	
New Zealand - NZIoC	Y	
Philippines - PICCS	Y	
USA - TSCA	Y	
Legend:	Y = All ingredients are on the inventory N = Not determined or one or more ingredients are not on the inventory and are not exempt from listing(see specific ingredients in brackets)	

SECTION 16 OTHER INFORMATION

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

A list of reference resources used to assist the committee may be found at:

www.chemwatch.net

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

Definitions and abbreviations

PC-TWA: Permissible Concentration-Time Weighted Average

PC-STEL: Permissible Concentration-Short Term Exposure Limit

IARC: International Agency for Research on Cancer

ACGIH: American Conference of Governmental Industrial Hygienists

STEL: Short Term Exposure Limit

TEEL: Temporary Emergency Exposure Limit。

IDLH: Immediately Dangerous to Life or Health Concentrations

OSF: Odour Safety Factor

NOAEL :No Observed Adverse Effect Level

LOAEL: Lowest Observed Adverse Effect Level

TLV: Threshold Limit Value

VINTESSENTIAL YAN CALIBRATION STANDARDS FOR DISCRETE AUTOANALYSERS, PAAN STANDARD 3 (VINTESSENTIAL YAN CALIBRATION STANDARDS FOR DISCRETE AUTOANALYSERS, PAAN STANDARD 3)

LOD: Limit Of Detection OTV: Odour Threshold Value BCF: BioConcentration Factors BEI: Biological Exposure Index

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH. TEL (+61 3) 9572 4700.