# D-Gluconic Acid Analysis Kit - Vial 4

**Vintessential Laboratories**

Chemwatch Hazard Alert Code: **1**

Chemwatch: **32-7640**
Version No: **3.1.1.1**
Safety Data Sheet according to WHS and ADG requirements

Issue Date: **06/27/2017**
Print Date: **01/17/2018**
L.GHS.AUS.EN

## SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

### Product Identifier

| | |
|---|---|
| **Product name** | D-Gluconic Acid Analysis Kit - Vial 4 |
| **Synonyms** | Not Available |
| **Other means of identification** | Not Available |

### Relevant identified uses of the substance or mixture and uses advised against

| | |
|---|---|
| **Relevant identified uses** | Laboratory reagent. |

### Details of the supplier of the safety data sheet

| | |
|---|---|
| **Registered company name** | **Vintessential Laboratories** |
| **Address** | 32 BRASSER AVENUE DROMANA VIC 3936 Australia |
| **Telephone** | +61 3 5987 2242 |
| **Fax** | +61 3 5987 3303 |
| **Website** | Not Available |
| **Email** | Not Available |

### Emergency telephone number

| | |
|---|---|
| **Association / Organisation** | **Not Available** |
| **Emergency telephone numbers** | +61 405 318 590 |
| **Other emergency telephone numbers** | Not Available |

## SECTION 2 HAZARDS IDENTIFICATION

### Classification of the substance or mixture

| | |
|---|---|
| **Poisons Schedule** | Not Applicable |
| **Classification** | Not Applicable |

### Label elements

| | |
|---|---|
| **Hazard pictogram(s)** | Not Applicable |

Continued...

| SIGNAL WORD | NOT APPLICABLE |
|---|---|

### Hazard statement(s)

Not Applicable

### Precautionary statement(s) Prevention

Not Applicable

### Precautionary statement(s) Response

Not Applicable

### Precautionary statement(s) Storage

Not Applicable

### Precautionary statement(s) Disposal

Not Applicable

## SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

### Substances

See section below for composition of Mixtures

### Mixtures

| CAS No | %[weight] | Name |
|---|---|---|
| Not Available | 100 | ingredients determined not to be hazardous |

## SECTION 4 FIRST AID MEASURES

### Description of first aid measures

| | |
|---|---|
| **Eye Contact** | If this product comes in contact with the eyes:<br>▸ Wash out immediately with fresh running water.<br>▸ Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids.<br>▸ Seek medical attention without delay; if pain persists or recurs seek medical attention.<br>▸ Removal of contact lenses after an eye injury should only be undertaken by skilled personnel. |
| **Skin Contact** | If skin contact occurs:<br>▸ Immediately remove all contaminated clothing, including footwear.<br>▸ Flush skin and hair with running water (and soap if available).<br>▸ Seek medical attention in event of irritation. |
| **Inhalation** | ▸ If fumes, aerosols or combustion products are inhaled remove from contaminated area.<br>▸ Other measures are usually unnecessary. |
| **Ingestion** | ▸ If swallowed do **NOT** induce vomiting.<br>▸ If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration.<br>▸ Observe the patient carefully.<br>▸ Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious.<br>▸ Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink.<br>▸ Seek medical advice. |

### Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5 FIREFIGHTING MEASURES

### Extinguishing media

- There is no restriction on the type of extinguisher which may be used.
- Use extinguishing media suitable for surrounding area.

### Special hazards arising from the substrate or mixture

| | |
|---|---|
| **Fire Incompatibility** | ▸ Avoid contamination with oxidising agents i.e. nitrates, oxidising acids, chlorine bleaches, pool chlorine etc. as ignition may result |

### Advice for firefighters

Continued...

| | |
|---|---|
| **Fire Fighting** | ▸ Alert Fire Brigade and tell them location and nature of hazard.<br>▸ Wear breathing apparatus plus protective gloves in the event of a fire.<br>▸ Prevent, by any means available, spillage from entering drains or water courses.<br>▸ Use fire fighting procedures suitable for surrounding area.<br>▸ **DO NOT** approach containers suspected to be hot.<br>▸ Cool fire exposed containers with water spray from a protected location.<br>▸ If safe to do so, remove containers from path of fire.<br>▸ Equipment should be thoroughly decontaminated after use. |
| **Fire/Explosion Hazard** | ▸ The material is not readily combustible under normal conditions.<br>▸ However, it will break down under fire conditions and the organic component may burn.<br>▸ Not considered to be a significant fire risk.<br>▸ Heat may cause expansion or decomposition with violent rupture of containers.<br>▸ Decomposes on heating and may produce toxic fumes of carbon monoxide (CO).<br>▸ May emit acrid smoke.<br>Combustion products include:<br>,<br>carbon dioxide (CO2)<br>,<br>nitrogen oxides (NOx)<br>,<br>sulfur oxides (SOx)<br>,<br>other pyrolysis products typical of burning organic material.<br>May emit poisonous fumes.<br>May emit corrosive fumes. |
| **HAZCHEM** | Not Applicable |

## SECTION 6 ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

See section 8

### Environmental precautions

See section 12

### Methods and material for containment and cleaning up

| | |
|---|---|
| **Minor Spills** | Wipe up.<br>▸ Clean up all spills immediately.<br>▸ Avoid breathing vapours/ aerosols or dusts and avoid contact with skin and eyes.<br>▸ Place in a suitable, labelled container for waste disposal. |
| **Major Spills** | ▸ Clean up all spills immediately.<br>▸ Secure load if safe to do so.<br>▸ Bundle/collect recoverable product.<br>▸ Collect remaining material in containers with covers for disposal. |

Personal Protective Equipment advice is contained in Section 8 of the SDS.

## SECTION 7 HANDLING AND STORAGE

### Precautions for safe handling

| | |
|---|---|
| **Safe handling** | ▸ **DO NOT** allow clothing wet with material to stay in contact with skin<br>▸ Avoid all personal contact, including inhalation.<br>▸ Wear protective clothing when risk of exposure occurs.<br>▸ Use in a well-ventilated area.<br>▸ Avoid contact with moisture.<br>▸ Avoid contact with incompatible materials.<br>▸ When handling, **DO NOT** eat, drink or smoke.<br>▸ Keep containers securely sealed when not in use.<br>▸ Avoid physical damage to containers.<br>▸ Always wash hands with soap and water after handling.<br>▸ Work clothes should be laundered separately. Launder contaminated clothing before re-use.<br>▸ Use good occupational work practice.<br>▸ Observe manufacturer's storage and handling recommendations contained within this SDS.<br>▸ Atmosphere should be regularly checked against established exposure standards to ensure safe working conditions are maintained. |

Continued...

| | |
|---|---|
| **Other information** | ▸ Store in original containers.<br>▸ Keep containers securely sealed.<br>▸ Store in a cool, dry, well-ventilated area.<br>▸ Store away from incompatible materials and foodstuff containers.<br>▸ Protect containers against physical damage and check regularly for leaks.<br>▸ Observe manufacturer's storage and handling recommendations contained within this SDS. |

### Conditions for safe storage, including any incompatibilities

| | |
|---|---|
| **Suitable container** | ▸ Polyethylene or polypropylene container.<br>▸ Packing as recommended by manufacturer.<br>▸ Check all containers are clearly labelled and free from leaks.<br>\|Vial. |
| **Storage incompatibility** | ▸ Avoid strong acids, bases.<br>▸ Avoid reaction with oxidising agents |

## SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

### Control parameters

**OCCUPATIONAL EXPOSURE LIMITS (OEL)**

**INGREDIENT DATA**

Not Available

**EMERGENCY LIMITS**

| Ingredient | Material name | TEEL-1 | TEEL-2 | TEEL-3 |
|---|---|---|---|---|
| D-Gluconic Acid Analysis Kit - Vial 4 | Not Available | Not Available | Not Available | Not Available |

| Ingredient | Original IDLH | Revised IDLH |
|---|---|---|
| ingredients determined not to be hazardous | Not Available | Not Available |

**MATERIAL DATA**

### Exposure controls

**Appropriate engineering controls**

Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection.
The basic types of engineering controls are:
Process controls which involve changing the way a job activity or process is done to reduce the risk.
Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment. Ventilation can remove or dilute an air contaminant if designed properly. The design of a ventilation system must match the particular process and chemical or contaminant in use.
Employers may need to use multiple types of controls to prevent employee overexposure.

General exhaust is adequate under normal operating conditions. If risk of overexposure exists, wear SAA approved respirator. Correct fit is essential to obtain adequate protection. Provide adequate ventilation in warehouse or closed storage areas. Air contaminants generated in the workplace possess varying "escape" velocities which, in turn, determine the "capture velocities" of fresh circulating air required to effectively remove the contaminant.

| Type of Contaminant: | Air Speed: |
|---|---|
| solvent, vapours, degreasing etc., evaporating from tank (in still air) | 0.25-0.5 m/s (50-100 f/min) |
| aerosols, fumes from pouring operations, intermittent container filling, low speed conveyer transfers, welding, spray drift, plating acid fumes, pickling (released at low velocity into zone of active generation) | 0.5-1 m/s (100-200 f/min.) |
| direct spray, spray painting in shallow booths, drum filling, conveyer loading, crusher dusts, gas discharge (active generation into zone of rapid air motion) | 1-2.5 m/s (200-500 f/min) |
| grinding, abrasive blasting, tumbling, high speed wheel generated dusts (released at high initial velocity into zone of very high rapid air motion). | 2.5-10 m/s (500-2000 f/min.) |

Within each range the appropriate value depends on:

| Lower end of the range | Upper end of the range |
|---|---|

**Continued...**

| | |
|---|---|
| 1: Room air currents minimal or favourable to capture | 1: Disturbing room air currents |
| 2: Contaminants of low toxicity or of nuisance value only | 2: Contaminants of high toxicity |
| 3: Intermittent, low production. | 3: High production, heavy use |
| 4: Large hood or large air mass in motion | 4: Small hood - local control only |

Simple theory shows that air velocity falls rapidly with distance away from the opening of a simple extraction pipe. Velocity generally decreases with the square of distance from the extraction point (in simple cases). Therefore the air speed at the extraction point should be adjusted, accordingly, after reference to distance from the contaminating source. The air velocity at the extraction fan, for example, should be a minimum of 1-2 m/s (200-400 f/min.) for extraction of solvents generated in a tank 2 meters distant from the extraction point. Other mechanical considerations, producing performance deficits within the extraction apparatus, make it essential that theoretical air velocities are multiplied by factors of 10 or more when extraction systems are installed or used.

| | |
|---|---|
| **Personal protection** | |
| **Eye and face protection** | ▸ Safety glasses with side shields.<br>▸ Chemical goggles.<br>▸ Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience. Medical and first-aid personnel should be trained in their removal and suitable equipment should be readily available. In the event of chemical exposure, begin eye irrigation immediately and remove contact lens as soon as practicable. Lens should be removed at the first signs of eye redness or irritation - lens should be removed in a clean environment only after workers have washed hands thoroughly. [CDC NIOSH Current Intelligence Bulletin 59], [AS/NZS 1336 or national equivalent] |
| **Skin protection** | See Hand protection below |
| **Hands/feet protection** | ▸ Wear chemical protective gloves, e.g. PVC.<br>▸ Wear safety footwear or safety gumboots, e.g. Rubber<br>**NOTE:**<br>▸ The material may produce skin sensitisation in predisposed individuals. Care must be taken, when removing gloves and other protective equipment, to avoid all possible skin contact.<br>▸ Contaminated leather items, such as shoes, belts and watch-bands should be removed and destroyed. |
| **Body protection** | See Other protection below |
| **Other protection** | No special equipment needed when handling small quantities.<br>**OTHERWISE:**<br>▸ Overalls.<br>▸ Barrier cream.<br>▸ Eyewash unit. |
| **Thermal hazards** | Not Available |

### Respiratory protection

Cartridge respirators should never be used for emergency ingress or in areas of unknown vapour concentrations or oxygen content. The wearer must be warned to leave the contaminated area immediately on detecting any odours through the respirator. The odour may indicate that the mask is not functioning properly, that the vapour concentration is too high, or that the mask is not properly fitted. Because of these limitations, only restricted use of cartridge respirators is considered appropriate.

## SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

| | |
|---|---|
| **Appearance** | Liquid; mixes with water. |

| | | | |
|---|---|---|---|
| **Physical state** | Liquid | **Relative density (Water = 1)** | Not Available |
| **Odour** | Not Available | **Partition coefficient n-octanol / water** | Not Available |
| **Odour threshold** | Not Available | **Auto-ignition temperature (°C)** | Not Available |
| **pH (as supplied)** | 6 | **Decomposition temperature** | Not Available |
| **Melting point / freezing point (°C)** | Not Available | **Viscosity (cSt)** | Not Available |

**Continued...**

| | | | |
|---|---|---|---|
| **Initial boiling point and boiling range (°C)** | Not Available | **Molecular weight (g/mol)** | Not Applicable |
| **Flash point (°C)** | Not Applicable | **Taste** | Not Available |
| **Evaporation rate** | Not Available | **Explosive properties** | Not Available |
| **Flammability** | Not Applicable | **Oxidising properties** | Not Available |
| **Upper Explosive Limit (%)** | Not Applicable | **Surface Tension (dyn/cm or mN/m)** | Not Available |
| **Lower Explosive Limit (%)** | Not Applicable | **Volatile Component (%vol)** | Not Available |
| **Vapour pressure (kPa)** | Not Available | **Gas group** | Not Available |
| **Solubility in water (g/L)** | Miscible | **pH as a solution (1%)** | Not Available |
| **Vapour density (Air = 1)** | Not Available | **VOC g/L** | Not Available |

## SECTION 10 STABILITY AND REACTIVITY

| | |
|---|---|
| **Reactivity** | See section 7 |
| **Chemical stability** | ▸ Unstable in the presence of incompatible materials.<br>▸ Product is considered stable.<br>▸ Hazardous polymerisation will not occur. |
| **Possibility of hazardous reactions** | See section 7 |
| **Conditions to avoid** | See section 7 |
| **Incompatible materials** | See section 7 |
| **Hazardous decomposition products** | See section 5 |

## SECTION 11 TOXICOLOGICAL INFORMATION

### Information on toxicological effects

| | |
|---|---|
| **Inhaled** | The material is not thought to produce either adverse health effects or irritation of the respiratory tract following inhalation (as classified by EC Directives using animal models). Nevertheless, adverse systemic effects have been produced following exposure of animals by at least one other route and good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting. |
| **Ingestion** | Accidental ingestion of the material may be damaging to the health of the individual. |
| **Skin Contact** | The material is not thought to produce adverse health effects or skin irritation following contact (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable gloves be used in an occupational setting.<br>Open cuts, abraded or irritated skin should not be exposed to this material<br>Entry into the blood-stream through, for example, cuts, abrasions, puncture wounds or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected. |
| **Eye** | Although the liquid is not thought to be an irritant (as classified by EC Directives), direct contact with the eye may produce transient discomfort characterised by tearing or conjunctival redness (as with windburn). |
| **Chronic** | Limited evidence suggests that repeated or long-term occupational exposure may produce cumulative health effects involving organs or biochemical systems.<br>Limited evidence shows that inhalation of the material is capable of inducing a sensitisation reaction in a significant number of individuals at a greater frequency than would be expected from the response of a normal population. Pulmonary sensitisation, resulting in hyperactive airway dysfunction and pulmonary allergy may be accompanied by fatigue, malaise and aching. Significant symptoms of exposure may persist for extended periods, even after exposure ceases. Symptoms can be activated by a variety of nonspecific environmental stimuli such as automobile exhaust, perfumes and passive smoking.<br>There exists limited evidence that shows that skin contact with the material is capable either of inducing a sensitisation reaction in a significant number of individuals, and/or of producing positive response in experimental animals. |

| | | |
|---|---|---|
| **D-Gluconic Acid Analysis Kit - Vial 4** | TOXICITY | IRRITATION |
| | Not Available | Not Available |
| ***Legend:*** | *1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2.* Value obtained from manufacturer's SDS. Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances* | |

**Continued...**

| | | | |
|---|---|---|---|
| **Acute Toxicity** | ⊘ | **Carcinogenicity** | ⊘ |
| **Skin Irritation/Corrosion** | ⊘ | **Reproductivity** | ⊘ |
| **Serious Eye Damage/Irritation** | ⊘ | **STOT - Single Exposure** | ⊘ |
| **Respiratory or Skin sensitisation** | ⊘ | **STOT - Repeated Exposure** | ⊘ |
| **Mutagenicity** | ⊘ | **Aspiration Hazard** | ⊘ |

***Legend:*** ✗ *– Data available but does not fill the criteria for classification*
✓ *– Data available to make classification*
⊘ *– Data Not Available to make classification*

## SECTION 12 ECOLOGICAL INFORMATION

### Toxicity

| | ENDPOINT | TEST DURATION (HR) | SPECIES | VALUE | SOURCE |
|---|---|---|---|---|---|
| **D-Gluconic Acid Analysis Kit - Vial 4** | Not Available | Not Available | Not Available | Not Available | Not Available |
| ***Legend:*** | *Extracted from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances - Ecotoxicological Information - Aquatic Toxicity 3. EPIWIN Suite V3.12 (QSAR) - Aquatic Toxicity Data (Estimated) 4. US EPA, Ecotox database - Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessment Data 6. NITE (Japan) - Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data* | | | | |

**DO NOT** discharge into sewer or waterways.

### Persistence and degradability

| Ingredient | Persistence: Water/Soil | Persistence: Air |
|---|---|---|
| | No Data available for all ingredients | No Data available for all ingredients |

### Bioaccumulative potential

| Ingredient | Bioaccumulation |
|---|---|
| | No Data available for all ingredients |

### Mobility in soil

| Ingredient | Mobility |
|---|---|
| | No Data available for all ingredients |

## SECTION 13 DISPOSAL CONSIDERATIONS

### Waste treatment methods

| | |
|---|---|
| **Product / Packaging disposal** | ‣ Recycle wherever possible or consult manufacturer for recycling options.<br>‣ Consult State Land Waste Management Authority for disposal.<br>‣ Bury residue in an authorised landfill.<br>‣ Recycle containers if possible, or dispose of in an authorised landfill. |

## SECTION 14 TRANSPORT INFORMATION

### Labels Required

| | |
|---|---|
| **Marine Pollutant** | NO |
| **HAZCHEM** | Not Applicable |

**Land transport (ADG): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS**

**Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS**

**Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS**

Continued...

### Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

## SECTION 15 REGULATORY INFORMATION

### Safety, health and environmental regulations / legislation specific for the substance or mixture

| National Inventory | Status |
|---|---|
| Australia - AICS | Y |
| Canada - DSL | Y |
| Canada - NDSL | Y |
| China - IECSC | Y |
| Europe - EINEC / ELINCS / NLP | Y |
| Japan - ENCS | Y |
| Korea - KECI | Y |
| New Zealand - NZIoC | Y |
| Philippines - PICCS | Y |
| USA - TSCA | Y |
| ***Legend:*** | *Y = All ingredients are on the inventory*<br>*N = Not determined or one or more ingredients are not on the inventory and are not exempt from listing(see specific ingredients in brackets)* |

## SECTION 16 OTHER INFORMATION

### Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

### Definitions and abbreviations

PC－TWA: Permissible Concentration-Time Weighted Average
PC－STEL: Permissible Concentration-Short Term Exposure Limit
IARC: International Agency for Research on Cancer
ACGIH: American Conference of Governmental Industrial Hygienists
STEL: Short Term Exposure Limit
TEEL: Temporary Emergency Exposure Limit。
IDLH: Immediately Dangerous to Life or Health Concentrations
OSF: Odour Safety Factor
NOAEL :No Observed Adverse Effect Level
LOAEL: Lowest Observed Adverse Effect Level
TLV: Threshold Limit Value
LOD: Limit Of Detection
OTV: Odour Threshold Value
BCF: BioConcentration Factors
BEI: Biological Exposure Index

This document is copyright.
Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH.
TEL (+61 3) 9572 4700.

end of SDS