

Vintessential L-Lactic Acid Analysis Kit Vial 4

Vintessential Laboratories

Chemwatch: **36-8135** Version No: **2.1.1.1**

Safety Data Sheet according to WHS and ADG requirements

Chemwatch Hazard Alert Code: 1

Issue Date: **03/05/2018**Print Date: **10/21/2019**L.GHS.AUS.EN

SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

Product Identifier

Product name	Vintessential L-Lactic Acid Analysis Kit Vial 4		
Synonyms	tem no.: 4A150		
Other means of identification	Not Available		

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses General laboratory chemicals.

Details of the supplier of the safety data sheet

Registered company name	Vintessential Laboratories		
Address	32 BRASSER AVENUE DROMANA VIC 3936 Australia		
Telephone	+61 3 5987 2242		
Fax	+61 3 5987 3303		
Website	Not Available		
Email	Not Available		

Emergency telephone number

Association / Organisation	Poisons Information Centre
Emergency telephone numbers	13 11 26
Other emergency telephone numbers	Not Available

SECTION 2 HAZARDS IDENTIFICATION

Classification of the substance or mixture

Poisons Schedule	Not Applicable
Classification	Not Applicable

Label elements	
Hazard pictogram(s)	Not Applicable
SIGNAL WORD	NOT APPLICABLE

Hazard statement(s)

Not Applicable

Precautionary statement(s) Prevention

Not Applicable

Precautionary statement(s) Response

Not Applicable

Precautionary statement(s) Storage

Not Applicable

Chemwatch: **36-8135** Page **2** of **7**

Vintessential L-Lactic Acid Analysis Kit Vial 4

Issue Date: **03/05/2018**Print Date: **10/21/2019**

Precautionary statement(s) Disposal

Not Applicable

Version No: 2.1.1.1

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

Substances

See section below for composition of Mixtures

Mixtures

CAS No	%[weight]	Name	
Not Available		ingredients determined not to be hazardous	

SECTION 4 FIRST AID MEASURES

Description of first aid measures

Eye Contact	If this product comes in contact with the eyes: • Wash out immediately with fresh running water. • Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. • Seek medical attention without delay; if pain persists or recurs seek medical attention. • Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.		
Skin Contact	If skin contact occurs: Immediately remove all contaminated clothing, including footwear. Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation.		
Inhalation	 If fumes, aerosols or combustion products are inhaled remove from contaminated area. Other measures are usually unnecessary. 		
Ingestion	 If swallowed do NOT induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration. Observe the patient carefully. Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious. Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink. Seek medical advice. 		

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 FIREFIGHTING MEASURES

Extinguishing media

- ► Water spray or fog.
- ► Foam.
- Dry chemical powder.
- ► BCF (where regulations permit).
- ► Carbon dioxide.

Special hazards arising from the substrate or mixture

pecial nazarus arising from the substrate of mixture				
Fire Incompatibility	▶ Avoid contamination with oxidising agents i.e. nitrates, oxidising acids, chlorine bleaches, pool chlorine etc. as ignition may result			
Advice for firefighters				
Fire Fighting	 Alert Fire Brigade and tell them location and nature of hazard. Wear full body protective clothing with breathing apparatus. Prevent, by any means available, spillage from entering drains or water course. Use water delivered as a fine spray to control fire and cool adjacent area. Avoid spraying water onto liquid pools. DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location. If safe to do so, remove containers from path of fire. 			
Fire/Explosion Hazard	 The material is not readily combustible under normal conditions. However, it will break down under fire conditions and the organic component may burn. Not considered to be a significant fire risk. Heat may cause expansion or decomposition with violent rupture of containers. Decomposes on heating and may produce toxic fumes of carbon monoxide (CO). May emit acrid smoke. Combustion products include: carbon dioxide (CO2) nitrogen oxides (NOx) sulfur oxides (SOx) other pyrolysis products typical of burning organic material. May emit poisonous fumes. May emit corrosive fumes. 			
HAZCHEM	Not Applicable			

SECTION 6 ACCIDENTAL RELEASE MEASURES

Vintessential L-Lactic Acid Analysis Kit Vial 4

Issue Date: **03/05/2018**Print Date: **10/21/2019**

Personal precautions, protective equipment and emergency procedures

See section 8

Environmental precautions

See section 12

Methods and material for containment and cleaning up

Minor Spills	 Clean up all spills immediately. Avoid breathing vapours and contact with skin and eyes. Control personal contact with the substance, by using protective equipment. Contain and absorb spill with sand, earth, inert material or vermiculite. Wipe up. Place in a suitable, labelled container for waste disposal.
Major Spills	 Clear area of personnel and move upwind. Alert Fire Brigade and tell them location and nature of hazard. Control personal contact with the substance, by using protective equipment. Prevent spillage from entering drains, sewers or water courses. Recover product wherever possible. Put residues in labelled containers for disposal. If contamination of drains or waterways occurs, advise emergency services.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 HANDLING AND STORAGE

Precautions for safe handling

Safe handling	Use in a well-ventilated area
Other information	 Store in original containers. Keep containers securely sealed. Store in a cool, dry, well-ventilated area. Store away from incompatible materials and foodstuff containers. Protect containers against physical damage and check regularly for leaks. Observe manufacturer's storage and handling recommendations contained within this SDS.

Conditions for safe storage, including any incompatibilities

Suitable container	► Glass container is suitable for laboratory quantities Vial	
Storage incompatibility	 Avoid reaction with oxidising agents Avoid strong acids, bases. 	

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

OCCUPATIONAL EXPOSURE LIMITS (OEL)

INGREDIENT DATA

Not Available

EMERGENCY LIMITS

Ingredient	Material name	TEEL-1	TEEL-2	TEEL-3
Vintessential L-Lactic Acid Analysis Kit Vial 4	Not Available	Not Available	Not Available	Not Available
Ingredient	Original IDLH		Revised IDLH	
Vintessential L-Lactic Acid Analysis Kit Vial 4	Not Available		Not Available	

MATERIAL DATA

Exposure controls

Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection.

The basic types of engineering controls are:

Process controls which involve changing the way a job activity or process is done to reduce the risk.

Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment. Ventilation can remove or dilute an air contaminant if designed properly. The design of a ventilation system must match the particular process and chemical or contaminant in use.

Employers may need to use multiple types of controls to prevent employee overexposure.

Appropriate engineering controls

General exhaust is adequate under normal operating conditions. If risk of overexposure exists, wear SAA approved respirator. Correct fit is essential to obtain adequate protection. Provide adequate ventilation in warehouse or closed storage areas. Air contaminants generated in the workplace possess varying "escape" velocities which, in turn, determine the "capture velocities" of fresh circulating air required to effectively remove the contaminant.

Type of Contaminant:	Air Speed:
solvent, vapours, degreasing etc., evaporating from tank (in still air)	0.25-0.5 m/s (50-100 f/min)

Chemwatch: 36-8135 Version No: 2.1.1.1

Vintessential L-Lactic Acid Analysis Kit Vial 4

Issue Date: 03/05/2018 Print Date: 10/21/2019

aerosols, fumes from pouring operations, intermittent container filling, low speed conveyer transfers, welding, spray 0.5-1 m/s (100-200 drift, plating acid fumes, pickling (released at low velocity into zone of active generation) f/min.) direct spray, spray painting in shallow booths, drum filling, conveyer loading, crusher dusts, gas discharge (active 1-2.5 m/s (200-500 generation into zone of rapid air motion) f/min) 2.5-10 m/s grinding, abrasive blasting, tumbling, high speed wheel generated dusts (released at high initial velocity into zone of very high rapid air motion). (500-2000 f/min.)

Within each range the appropriate value depends on:

Lower end of the range	Upper end of the range
1: Room air currents minimal or favourable to capture	1: Disturbing room air currents
2: Contaminants of low toxicity or of nuisance value only	2: Contaminants of high toxicity
3: Intermittent, low production.	3: High production, heavy use
4: Large hood or large air mass in motion	4: Small hood - local control only

Simple theory shows that air velocity falls rapidly with distance away from the opening of a simple extraction pipe. Velocity generally decreases with the square of distance from the extraction point (in simple cases). Therefore the air speed at the extraction point should be adjusted, accordingly, after reference to distance from the contaminating source. The air velocity at the extraction fan, for example, should be a minimum of 1-2 m/s (200-400 f/min.) for extraction of solvents generated in a tank 2 meters distant from the extraction point. Other mechanical considerations, producing performance deficits within the extraction apparatus, make it essential that theoretical air velocities are multiplied by factors of 10 or more when extraction systems are installed or used.

Personal protection







Eve and face protection

Safety glasses with side shields.

Chemical goggles.

▶ Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience. Medical and first-aid personnel should be trained in their removal and suitable equipment should be readily available. In the event of chemical exposure, begin eye irrigation immediately and remove contact lens as soon as practicable. Lens should be removed at the first signs of eye redness or irritation - lens should be removed in a clean environment only after workers have washed hands thoroughly. [CDC NIOSH Current Intelligence Bulletin 59], [AS/NZS 1336 or national equivalent]

Skin protection

See Hand protection below

Hands/feet protection

- ▶ Wear chemical protective gloves, e.g. PVC.
- ▶ Wear safety footwear or safety gumboots, e.g. Rubber

No special equipment needed when handling small quantities.

Body protection

See Other protection below

Other protection

OTHERWISE:

Overalls.

- Barrier cream.
- ▶ Eyewash unit.

Respiratory protection

None under normal operating conditions.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance	Liquid; mixes with water.		
Appearance Equit, mixes with water.			
Physical state	Liquid	Relative density (Water = 1)	Not Available
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Available
pH (as supplied)	7.4 approx	Decomposition temperature	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	Not Available	Molecular weight (g/mol)	Not Applicable
Flash point (°C)	Not Available	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Available	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Available	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Available	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water	Miscible	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available

Version No: 2.1.1.1

Vintessential L-Lactic Acid Analysis Kit Vial 4

Issue Date: 03/05/2018 Print Date: 10/21/2019

SECTION 10 STABILITY AND REACTIVITY

Reactivity	See section 7
Chemical stability	 Unstable in the presence of incompatible materials. Product is considered stable. Hazardous polymerisation will not occur.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

SECTION 11 TOXICOLOGICAL INFORMATION

Information on toxicological effects

Inhaled	The material is not thought to produce either adverse health effects or irritation of the respiratory tract following inhalation (as classified by EC Directives using animal models). Nevertheless, adverse systemic effects have been produced following exposure of animals by at least one other route and good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting.		
Ingestion	Accidental ingestion of the material may be damaging to the health of the individual.		
Skin Contact	The material is not thought to produce adverse health effects or skin irritation following contact (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable gloves be used in an occupational setting. Open cuts, abraded or irritated skin should not be exposed to this material Entry into the blood-stream through, for example, cuts, abrasions, puncture wounds or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.		
Еуе	Although the liquid is not thought to be an irritant (as classified by EC Directives), direct contact with the eye may produce transient discomfort characterised by tearing or conjunctival redness (as with windburn).		
	Limited evidence suggests that repeated or long-term occupational exposure may produce cumulative health effects involving organs or biochemical systems. Limited evidence shows that inhalation of the material is capable of inducing a sensitisation reaction in a significant number of individuals at a greater frequency than would be expected from the response of a normal population. Pulmonary sensitisation, resulting in hyperactive airway dysfunction and pulmonary allergy may be accompanied by fatigue, malaise and aching Significant symptoms of exposure may persist for extended periods, even after exposure ceases. Symptoms can be activated by a variety of nonspecific environmental stimuli such as automobile exhaust, perfumes and passive smoking. There exists limited evidence that shows that skin contact with the material is capable either of inducing a sensitisation reaction in a significant number of individuals, and/or of producing positive response in experimental animals.		
Chronic	Pulmonary sensitisation, resulting in hyperactive airwa Significant symptoms of exposure may persist for exte nonspecific environmental stimuli such as automobile There exists limited evidence that shows that skin con	ay dysfunction and pulmonary allergy ended periods, even after exposure or exhaust, perfumes and passive smol atact with the material is capable eithe	may be accompanied by fatigue, malaise and aching. eases. Symptoms can be activated by a variety of king.
	Pulmonary sensitisation, resulting in hyperactive airwa Significant symptoms of exposure may persist for externonspecific environmental stimuli such as automobile There exists limited evidence that shows that skin con number of individuals, and/or of producing positive res	ay dysfunction and pulmonary allergy ended periods, even after exposure or exhaust, perfumes and passive smol attact with the material is capable eithe sponse in experimental animals.	may be accompanied by fatigue, malaise and aching. eases. Symptoms can be activated by a variety of king.
Chronic Vintessential L-Lactic Acid Analysis Kit Vial 4	Pulmonary sensitisation, resulting in hyperactive airwa Significant symptoms of exposure may persist for exte nonspecific environmental stimuli such as automobile There exists limited evidence that shows that skin con	ay dysfunction and pulmonary allergy ended periods, even after exposure or exhaust, perfumes and passive smol atact with the material is capable eithe	may be accompanied by fatigue, malaise and aching. eases. Symptoms can be activated by a variety of king.
Vintessential L-Lactic Acid	Pulmonary sensitisation, resulting in hyperactive airwa Significant symptoms of exposure may persist for externonspecific environmental stimuli such as automobile. There exists limited evidence that shows that skin connumber of individuals, and/or of producing positive res	ay dysfunction and pulmonary allergy ended periods, even after exposure of exhaust, perfumes and passive smol attact with the material is capable either sponse in experimental animals. IRRITATION Not Available astances - Acute toxicity 2.* Value obti	may be accompanied by fatigue, malaise and aching. eases. Symptoms can be activated by a variety of king. er of inducing a sensitisation reaction in a significant
Vintessential L-Lactic Acid Analysis Kit Vial 4 Legend:	Pulmonary sensitisation, resulting in hyperactive airwa Significant symptoms of exposure may persist for externonspecific environmental stimuli such as automobile. There exists limited evidence that shows that skin connumber of individuals, and/or of producing positive resulting the substitution of producing positive resulting to the substitution of the substituti	ay dysfunction and pulmonary allergy ended periods, even after exposure of exhaust, perfumes and passive smol stact with the material is capable either sponse in experimental animals. IRRITATION Not Available Instances - Acute toxicity 2.* Value obtaxic Effect of chemical Substances	may be accompanied by fatigue, malaise and aching. eases. Symptoms can be activated by a variety of king. It of inducing a sensitisation reaction in a significant earlier of inducing a sensitisation reaction in a significant earlier of inducing a sensitisation reaction in a significant earlier of inducing a sensitisation reaction in a significant earlier of inducing a sensitisation reaction in a significant earlier of inducing a sensitisation reaction in a significant earlier of inducing a sensitisation reaction in a significant earlier of inducing a sensitisation reaction in a significant earlier of inducing a sensitisation reaction in a significant earlier of inducing a sensitisation reaction in a significant earlier of inducing a sensitisation reaction in a significant earlier of inducing a sensitisation reaction in a significant earlier of inducing a sensitisation reaction in a significant earlier of inducing a sensitisation reaction in a significant earlier of inducing a sensitisation reaction in a significant earlier of inducing a sensitisation reaction in a significant earlier of inducing a sensitisation reaction in a significant earlier of inducing a sensitisation reaction in a significant earlier of inducing a sensitisation reaction in a significant earlier of inducing a sensitisation earlier of inducing earlier of inducing earlier of inducing earlier of inducing ear
Vintessential L-Lactic Acid Analysis Kit Vial 4 Legend: Acute Toxicity	Pulmonary sensitisation, resulting in hyperactive airwa Significant symptoms of exposure may persist for extenonspecific environmental stimuli such as automobile. There exists limited evidence that shows that skin connumber of individuals, and/or of producing positive resulting. TOXICITY Not Available 1. Value obtained from Europe ECHA Registered Subspecified data extracted from RTECS - Register of Toxicity.	ay dysfunction and pulmonary allergy ended periods, even after exposure of exhaust, perfumes and passive smol attact with the material is capable either sponse in experimental animals. IRRITATION Not Available Instances - Acute toxicity 2.* Value obtained in the stances of the microstances. Carcinogenicity	may be accompanied by fatigue, malaise and aching. eases. Symptoms can be activated by a variety of king. er of inducing a sensitisation reaction in a significant eatined from manufacturer's SDS. Unless otherwise
Vintessential L-Lactic Acid Analysis Kit Vial 4 Legend: Acute Toxicity Skin Irritation/Corrosion	Pulmonary sensitisation, resulting in hyperactive airwa Significant symptoms of exposure may persist for externonspecific environmental stimuli such as automobile. There exists limited evidence that shows that skin connumber of individuals, and/or of producing positive resulting to the control of the cont	ay dysfunction and pulmonary allergy ended periods, even after exposure context exhaust, perfumes and passive smol attact with the material is capable either sponse in experimental animals. IRRITATION Not Available Distances - Acute toxicity 2.* Value obtains a context of chemical Substances Carcinogenicity Reproductivity	may be accompanied by fatigue, malaise and aching. eases. Symptoms can be activated by a variety of king. In of inducing a sensitisation reaction in a significant eating a sensitisation reaction in a significant eating from manufacturer's SDS. Unless otherwise
Vintessential L-Lactic Acid Analysis Kit Vial 4 Legend: Acute Toxicity Skin Irritation/Corrosion Serious Eye Damage/Irritation	Pulmonary sensitisation, resulting in hyperactive airwa Significant symptoms of exposure may persist for extenonspecific environmental stimuli such as automobile. There exists limited evidence that shows that skin connumber of individuals, and/or of producing positive resulting. TOXICITY Not Available 1. Value obtained from Europe ECHA Registered Subspecified data extracted from RTECS - Register of Toxicity.	ay dysfunction and pulmonary allergy ended periods, even after exposure of exhaust, perfumes and passive smol attact with the material is capable either sponse in experimental animals. IRRITATION Not Available Instances - Acute toxicity 2.* Value obtained in the stances of the microstances. Carcinogenicity	may be accompanied by fatigue, malaise and aching. eases. Symptoms can be activated by a variety of king. er of inducing a sensitisation reaction in a significant eatined from manufacturer's SDS. Unless otherwise
Vintessential L-Lactic Acid Analysis Kit Vial 4 Legend: Acute Toxicity Skin Irritation/Corrosion	Pulmonary sensitisation, resulting in hyperactive airwa Significant symptoms of exposure may persist for externonspecific environmental stimuli such as automobile. There exists limited evidence that shows that skin connumber of individuals, and/or of producing positive resulting to the control of the cont	ay dysfunction and pulmonary allergy ended periods, even after exposure context exhaust, perfumes and passive smol attact with the material is capable either sponse in experimental animals. IRRITATION Not Available Distances - Acute toxicity 2.* Value obtains a context of chemical Substances Carcinogenicity Reproductivity	may be accompanied by fatigue, malaise and aching. eases. Symptoms can be activated by a variety of king. In of inducing a sensitisation reaction in a significant eating a sensitisation reaction in a significant eating from manufacturer's SDS. Unless otherwise

Legend:

X − Data either not available or does not fill the criteria for classification
 y − Data available to make classification

SECTION 12 ECOLOGICAL INFORMATION

Toxicity

Vintessential L-Lactic Acid Analysis Kit Vial 4	ENDPOINT TEST DURATION (HR) Not Available Not Available	SPECIES Not Available	VALUE SOURCE Not Not Available Available
Legend:	Extracted from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances - Ecotoxicological Information - Aquatic Toxicity 3. EPIWIN Suite V3.12 (QSAR) - Aquatic Toxicity Data (Estimated) 4. US EPA, Ecotox database - Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessment Data 6. NITE (Japan) - Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data		

DO NOT discharge into sewer or waterways.

Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
	No Data available for all ingredients	No Data available for all ingredients

Chemwatch: **36-8135** Version No: **2.1.1.1** Page 6 of 7

Vintessential L-Lactic Acid Analysis Kit Vial 4

Issue Date: **03/05/2018**Print Date: **10/21/2019**

Bioaccumulative potential

Ingredient	Bioaccumulation
	No Data available for all ingredients

Mobility in soil

Ingredient	Mobility
	No Data available for all ingredients

SECTION 13 DISPOSAL CONSIDERATIONS

Waste treatment methods

Product / Packaging disposal

- ▶ Recycle wherever possible or consult manufacturer for recycling options.
- Consult State Land Waste Authority for disposal.
- ▶ Bury or incinerate residue at an approved site.
- ▶ Recycle containers if possible, or dispose of in an authorised landfill.

SECTION 14 TRANSPORT INFORMATION

Labels Required

Marine Pollutant	NO
HAZCHEM	Not Applicable

Land transport (ADG): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

SECTION 15 REGULATORY INFORMATION

Safety, health and environmental regulations / legislation specific for the substance or mixture

National Inventory Status

National Inventory	Status
Australia - AICS	Yes
Canada - DSL	Yes
Canada - NDSL	Yes
China - IECSC	Yes
Europe - EINEC / ELINCS / NLP	Yes
Japan - ENCS	Yes
Korea - KECI	Yes
New Zealand - NZIoC	Yes
Philippines - PICCS	Yes
USA - TSCA	Yes
Taiwan - TCSI	Yes
Mexico - INSQ	Yes
Vietnam - NCI	Yes
Russia - ARIPS	Yes
Legend:	Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory and are not exempt from listing(see specific ingredients in brackets)

SECTION 16 OTHER INFORMATION

Revision Date	03/05/2018
Initial Date	Not Available

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

Chemwatch: 36-8135 Page 7 of 7 Issue Date: 03/05/2018 Version No: 2.1.1.1

Vintessential L-Lactic Acid Analysis Kit Vial 4

Print Date: 10/21/2019

Definitions and abbreviations

PC-TWA: Permissible Concentration-Time Weighted Average PC-STEL: Permissible Concentration-Short Term Exposure Limit

IARC: International Agency for Research on Cancer

ACGIH: American Conference of Governmental Industrial Hygienists

STEL: Short Term Exposure Limit

TEEL: Temporary Emergency Exposure Limit。

IDLH: Immediately Dangerous to Life or Health Concentrations

OSF: Odour Safety Factor

NOAEL :No Observed Adverse Effect Level LOAEL: Lowest Observed Adverse Effect Level

TLV: Threshold Limit Value LOD: Limit Of Detection OTV: Odour Threshold Value BCF: BioConcentration Factors BEI: Biological Exposure Index

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH.

TEL (+61 3) 9572 4700.